

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## EASY PRINT Sn62Pb36Ag2

Creation date	30th September 2022	Version	6.0
Revision date	24th July 2023		

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**  
EASY PRINT Sn62Pb36Ag2  
Substance / mixture mixture  
UFI 0E20-409C-H00X-C6K3
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**  
**Mixture's intended use**  
Soldering paste  
**Main intended use**  
PC-TEC-24 Welding, soldering, and flux products  
**Mixture uses advised against**  
The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**  
**Manufacturer**  
Name or trade name AG TermoPasty Grzegorz Gąsowski  
Address Kolejowa 33 E, Sokoły, 18-218  
Poland  
Identification number (CRN) 200133730  
VAT Reg No PL9661767714  
Phone 862741342  
E-mail biuro@termopasty.pl  
Web address www.termopasty.pl  
**Competent person responsible for the safety data sheet**  
Name AG TermoPasty Grzegorz Gąsowski  
E-mail biuro@termopasty.pl
- 1.4. Emergency telephone number**  
European emergency number: 112

### SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**  
**Classification of the mixture in accordance with Regulation (EC) No 1272/2008**

The mixture is classified as dangerous.

Skin Sens. 1, H317  
Repr. 1A, H360FD  
Lact., H362  
Aquatic Acute 1, H400  
Aquatic Chronic 1, H410

Full text of all classifications and hazard statements is given in the section 16.

#### Most serious adverse effects on human health and the environment

May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure. May cause harm to breast-fed children. May cause an allergic skin reaction. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

- 2.2. Label elements**  
**Hazard pictogram**



**Signal word**  
Danger

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## EASY PRINT Sn62Pb36Ag2

Creation date 30th September 2022  
Revision date 24th July 2023 Version 6.0

### Hazardous substances

lead  
COLOPHONIUM  
1,2-bis(2-methoxyethoxy) ethane

### Hazard statements

H317 May cause an allergic skin reaction.  
H360FD May damage fertility. May damage the unborn child.  
H362 May cause harm to breast-fed children.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

### Precautionary statements

P201 Obtain special instructions before use.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P263 Avoid contact during pregnancy and while nursing.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P308+P313 IF exposed or concerned: Get medical advice/attention.  
P391 Collect spillage.

### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Dust may form explosive mixture with air.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Mixture of substances and additives specified below.

**Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment**

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 7439-92-1 EC: 231-100-4 Registration number: 01-2119513221-59-XXXX	lead	30-50	Repr. 1A, H360FD Lact., H362 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	2, 3, 4
Index: 650-015-00-7 CAS: 8050-09-7 EC: 232-475-7 Registration number: 01-2119480418-32-XXXX	COLOPHONIUM	5-10	Skin Sens. 1, H317	1
Index: 603-096-00-8 CAS: 112-34-5 EC: 203-961-6 Registration number: 01-2119475104-44-XXXX	2-(2-butoxyethoxy)ethanol	≤3	Eye Irrit. 2, H319	1, 4
Index: 603-176-00-2 CAS: 112-49-2 EC: 203-977-3 Registration number: 01-2119486479-18	1,2-bis(2-methoxyethoxy) ethane	≤1	Eye Irrit. 2, H319 Repr. 1B, H360Df EUH019	3, 4

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## EASY PRINT Sn62Pb36Ag2

Creation date 30th September 2022  
Revision date 24th July 2023 Version 6.0

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 7440-31-5 EC: 231-141-8 Registration number: 01-2119486474-28-0033	tin		not classified as dangerous	
CAS: 7440-22-4 EC: 231-131-3 Registration number: 01-2119555669-21-0025	silver		not classified as dangerous	1

### Notes

- 1 A substance for which exposure limits are set.
- 2 Substance for which biological limit values exist.
- 3 Substance of very high concern - SVHC.
- 4 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

#### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

#### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

#### If swallowed

Provide medical treatment. For persons with no symptoms, call the Toxicological Information Centre to decide about the need of medical treatment; provide information about the substances or composition of the product from the original packaging or the Safety Data Sheet of the product.

### 4.2. Most important symptoms and effects, both acute and delayed

#### If inhaled

Cough, headache.

#### If on skin

May cause an allergic skin reaction.

#### If in eyes

Not expected.

#### If swallowed

Irritation, nausea.

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## EASY PRINT Sn62Pb36Ag2

Creation date 30th September 2022  
Revision date 24th July 2023 Version 6.0

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

##### Unsuitable extinguishing media

Water - full jet.

#### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

#### 5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing. Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale dust. Prevent contact with skin and eyes.

#### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water. Do not allow to enter drains.

#### 6.3. Methods and material for containment and cleaning up

Place the product mechanically in an appropriate manner. Dispose of the collected material according to the instructions in the section 13.

#### 6.4. Reference to other sections

See the Section 7, 8 and 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale dust. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Obtain special instructions before use. Wash hands and exposed parts of the body thoroughly after handling. Do not handle until all safety precautions have been read and understood. Avoid contact during pregnancy and while nursing. Do not eat, drink or smoke when using this product. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up.

Content	Packaging type	Material of package
1,4 ml	syringe	PP
20 g	syringe	PP
40 g	syringe	PP
250 g	box	PP
500 g	box	PP

#### 7.3. Specific end use(s)

not available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

##### European Union

##### Commission Directive 2000/39/EC

Substance name (component)	Type	Value	Note
silver (CAS: 7440-22-4)	OEL 8 hours	0,1 mg/m <sup>3</sup>	

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## EASY PRINT Sn62Pb36Ag2

Creation date	30th September 2022	Version	6.0
Revision date	24th July 2023		

### European Union

### Commission Directive 2006/15/EC

Substance name (component)	Type	Value	Note
2-(2-butoxyethoxy)ethanol (CAS: 112-34-5)	OEL 8 hours	67,5 mg/m <sup>3</sup>	
	OEL 8 hours	10 ppm	
	OEL 15 minutes	101,2 mg/m <sup>3</sup>	
	OEL 15 minutes	15 ppm	

### United Kingdom

### EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Substance name (component)	Type	Value	Note
COLOPHONIUM (CAS: 8050-09-7)	WEL 8h	0,05 mg/m <sup>3</sup>	Capable of causing occupational asthma.
	WEL 15min	0,15 mg/m <sup>3</sup>	
2-(2-butoxyethoxy)ethanol (CAS: 112-34-5)	WEL 8h	67,5 mg/m <sup>3</sup>	
	WEL 8h	10 ppm	
	WEL 15min	101,2 mg/m <sup>3</sup>	
	WEL 15min	15 ppm	
Silver, metallic (CAS: 7440-22-4)	WEL 8h	0,1 mg/m <sup>3</sup>	As Ag

### Biological limit values

#### European Union

#### SCOEL

Name	Parameter	Value	Tested material
lead (CAS: 7439-92-1)	Lead	70 µg Pb/100ml	Blood

### DNEL

1,2-bis(2-methoxyethoxy) ethane					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	6.25 mg/kg bw/day	Chronic effects systemic		
Workers	Inhalation	80.4 mg/m <sup>3</sup>	Chronic effects systemic		

2-(2-butoxyethoxy)ethanol					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	101.2 mg/m <sup>3</sup>	Acute effects local		
Workers	Inhalation	67.5 mg/m <sup>3</sup>	Chronic effects local		

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## EASY PRINT Sn62Pb36Ag2

Creation date	30th September 2022	Version	6.0
Revision date	24th July 2023		

COLOPHONIUM					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	25 mg/kg bw/day	Chronic effects systemic		
Workers	Inhalation	176.32 mg/m <sup>3</sup>	Chronic effects systemic		
Consumers	Oral	15 mg/kg bw/day	Chronic effects systemic		
Consumers	Dermal	15 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	52.174 mg/m <sup>3</sup>	Chronic effects systemic		

silver					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	0.1 mg/m <sup>3</sup>	Chronic effects systemic		
Consumers	Inhalation	0.04 mg/m <sup>3</sup>	Chronic effects systemic		
Consumers	Oral	1.2 mg/kg bw/day	Chronic effects systemic		

tin					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	133.3 mg/kg bw/day	Acute effects systemic		
Workers	Dermal	133.3 mg/kg bw/day	Chronic effects systemic		
Workers	Inhalation	11.75 mg/m <sup>3</sup>	Acute effects systemic		
Workers	Inhalation	11.75 mg/m <sup>3</sup>	Chronic effects systemic		
Consumers	Oral	80 mg/kg bw/day	Acute effects systemic		
Consumers	Oral	80 mg/kg bw/day	Chronic effects systemic		
Consumers	Dermal	80 mg/kg bw/day	Acute effects systemic		
Consumers	Dermal	80 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	3.476 mg/m <sup>3</sup>	Acute effects systemic		
Consumers	Inhalation	3.476 mg/m <sup>3</sup>	Chronic effects systemic		

### PNEC

1,2-bis(2-methoxyethoxy) ethane			
Route of exposure	Value	Value determination	Source
Drinking water	6.4 mg/l		
Freshwater sediment	26.6 mg/kg of dry substance of sediment		

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## EASY PRINT Sn62Pb36Ag2

Creation date 30th September 2022  
Revision date 24th July 2023 Version 6.0

1,2-bis(2-methoxyethoxy) ethane			
Route of exposure	Value	Value determination	Source
Marine water	0.64 mg/l		
Sea sediments	2.66 mg/kg of dry substance of sediment		
Water (intermittent release)	50 mg/l		
Microorganisms in sewage treatment	50 mg/l		
Soil (agricultural)	1.57 mg/kg		

2-(2-butoxyethoxy)ethanol			
Route of exposure	Value	Value determination	Source
Drinking water	1.1 mg/l		
Freshwater sediment	4.4 mg/kg		
Sea sediments	0.44 mg/kg		
Soil (agricultural)	0.32 mg/kg		
Marine water	0.11 mg/l		

COLOPHONIUM			
Route of exposure	Value	Value determination	Source
Drinking water	0.005 mg/l		
Marine water	0.0005 mg/l		
Freshwater sediment	108 mg/kg of dry substance		
Sea sediments	10.8 mg/kg of dry substance		
Soil (agricultural)	21.4 mg/kg of dry substance		
Microorganisms in sewage treatment	1000 mg/l		

silver			
Route of exposure	Value	Value determination	Source
Soil (agricultural)	0.794 mg/kg		
Drinking water	0.04 µg/l		
Marine water	0.86 µg/l		
Freshwater sediment	438.13 mg/kg		
Sea sediments	438.13 mg/kg		
Microorganisms in sewage treatment	25 µg/l		

### 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

#### Eye/face protection

It is not needed.

#### Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## EASY PRINT Sn62Pb36Ag2

Creation date	30th September 2022	Version	6.0
Revision date	24th July 2023		

### Respiratory protection

not available

### Thermal hazard

Data not available.

### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	solid
Colour	grey
Odour	characteristic
Melting point/freezing point	179 °C
Boiling point or initial boiling point and boiling range	260 °C
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	non-soluble (in water)
Kinematic viscosity	data not available
Solubility in water	data not available
Solubility in fats	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	1.2 g/cm <sup>3</sup>
Relative vapour density	data not available
Particle characteristics	data not available
Form	paste

### 9.2. Other information

Evaporation rate	non-applicable
Ignition temperature	141 °C

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

not available

### 10.2. Chemical stability

The product is stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Unknown.

### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## EASY PRINT Sn62Pb36Ag2

Creation date 30th September 2022  
Revision date 24th July 2023 Version 6.0

### Acute toxicity

Based on available data the classification criteria are not met.

1,2-bis(2-methoxyethoxy) ethane						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Source
Oral	LD <sub>50</sub>	5390 mg/kg		Rat		
Skin	LD <sub>50</sub>	>6900 mg/kg		Rat		

2-(2-butoxyethoxy)ethanol						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Source
Oral	LD <sub>50</sub>	1.410 mg/kg		Mouse		ECHA
Dermal	LD <sub>50</sub>	2.764 mg/kg		Rabbit		ECHA

COLOPHONIUM						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Source
Oral	LD <sub>50</sub>	2800 mg/kg		Rat		
Oral	LD <sub>50</sub>	>1000		Guinea-pig		
Dermal	LD <sub>50</sub>	>2000 mg/kg		Rat		

silver						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Source
Oral	LD <sub>50</sub>	2000≤5000 mg/kg		Rat		
Dermal	LD <sub>50</sub>	2000≤5000 mg/kg		Rat		
Inhalation	LC <sub>50</sub>	5.16 mg/l	4 hours	Rat		

tin						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Source
Oral	LD <sub>50</sub>	2000-≤5000 mg/kg		Rat		
Dermal	LD <sub>50</sub>	2000-≤5000 mg/kg		Rat		
Inhalation	LC <sub>50</sub>	>4.75 mg/l	4 hours	Rat (Rattus norvegicus)		

### Skin corrosion/irritation

Based on available data the classification criteria are not met.

### Serious eye damage/irritation

Based on available data the classification criteria are not met.

### Respiratory or skin sensitisation

May cause an allergic skin reaction.

### Germ cell mutagenicity

Based on available data the classification criteria are not met.

### Carcinogenicity

Based on available data the classification criteria are not met.

### Reproductive toxicity

May damage fertility. May damage the unborn child. May cause harm to breast-fed children.

### Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## EASY PRINT Sn62Pb36Ag2

Creation date 30th September 2022  
Revision date 24th July 2023 Version 6.0

### Toxicity for specific target organ - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

### Aspiration hazard

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. Based on available data the classification criteria are not met.

### 11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 12: Ecological information

### 12.1. Toxicity

Very toxic to aquatic life with long lasting effects.

#### Acute toxicity

1,2-bis(2-methoxyethoxy) ethane						
Parameter	Method	Value	Exposure time	Species	Environment	Source
LC <sub>50</sub>	OECD 203	>5000 mg/l	96 hours	Fish (Zebra fish)	Fresh water	
EC <sub>50</sub>	OECD 202	>5000 mg/l	48 hours	Daphnia		
EC <sub>50</sub>	OECD 201	>6000 mg/l	72 hours	Algae		

2-(2-butoxyethoxy)ethanol						
Parameter	Method	Value	Exposure time	Species	Environment	Source
EC <sub>50</sub>		>100 mg/l	48 hours	Aquatic invertebrates		
LC <sub>50</sub>		1.300 mg/l	96 hours	Fish		
ErC <sub>50</sub>		>100 mg/l	96 hours	Algae		

COLOPHONIUM						
Parameter	Method	Value	Exposure time	Species	Environment	Source
LL <sub>100</sub>	OECD 203	≤10 mg/l	24 hours	Fish (Branchydanio rerio)		anon,
NOELR	OECD 203	≤1 mg/l	96 hours	Fish (Branchydanio rerio)		anon.
LD <sub>50</sub>	OECD 203	60.3 mg/l	96 hours	Fish (Branchydanio rerio)		Schreerbaum D
NOELR	OECD 203	≥1000 mg/l	96 hours	Fish (Pimephales promelas)		Kelly, C.R., Clayton, M.A.
LL <sub>50</sub>	OECD 203	>1000 mg/l	96 hours	Fish (Pimephales promelas)		Kelly, C.R., Clayton, M.A.
EL <sub>50</sub>	OECD 202	911 mg/l	48 hours	Daphnia (Daphnia magna)		Kelly, C.R., Clayton, M.A.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## EASY PRINT Sn62Pb36Ag2

Creation date	30th September 2022	Version	6.0
Revision date	24th July 2023		

COLOPHONIUM						
Parameter	Method	Value	Exposure time	Species	Environment	Source
NOELR	OECD 202	75 mg/l	48 hours	Daphnia (Daphnia magna)		Kelly, C.R., Clayton, M.A.
NOELR	OECD 202	10	48 hours	Daphnia (Daphnia magna)		anon.
EL <sub>100</sub>	OECD 202	≤100 mg/l	48 hours	Daphnia (Daphnia magna)		anon.
NOELR	OECD 201	≥1000 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)		Kelly, C.R., Clayton, M.A.
EL <sub>50</sub>	OECD 201	.1000 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)		Kelly, C.R., Clayton, M.A.

silver						
Parameter	Method	Value	Exposure time	Species	Environment	Source
NOEC		0.13 mg/l	28 days	Fish (Menidia beryllina)		
NOEC		0.001 mg/l	7 days	Crustaceans		
NOEC		0.0012 mg/l	14 days	Algae (Selenastrum capricornutum)		

tin						
Parameter	Method	Value	Exposure time	Species	Environment	Source
EC <sub>50</sub>		1.303 mg/l		Invertebrates (Ceriodaphnia dubia)		

### 12.2. Persistence and degradability

Data not available.

#### Biodegradability

COLOPHONIUM				
Parameter	Value	Exposure time	Environment	Result
				Easily biodegradable

lead				
Parameter	Value	Exposure time	Environment	Result
				Hardly biodegradable

### 12.3. Bioaccumulative potential

Data not available.

1,2-bis(2-methoxyethoxy) ethane					
Parameter	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow	-0.48				

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## EASY PRINT Sn62Pb36Ag2

Creation date 30th September 2022  
Revision date 24th July 2023 Version 6.0

### COLOPHONIUM

Parameter	Value	Exposure time	Species	Environment	Temperature [°C]
BCF	56.23 ml/kg				

### silver

Parameter	Value	Exposure time	Species	Environment	Temperature [°C]
BCF	70				

#### 12.4. Mobility in soil

Data not available.

#### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

#### 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### 12.7. Other adverse effects

Data not available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

### SECTION 14: Transport information

#### 14.1. UN number or ID number

UN 3077

#### 14.2. UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Lead)

#### 14.3. Transport hazard class(es)

9 Miscellaneous dangerous substances and articles

#### 14.4. Packing group

III - substances presenting low danger

#### 14.5. Environmental hazards

not relevant

#### 14.6. Special precautions for user

Reference in the Sections 4 to 8.

#### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## EASY PRINT Sn62Pb36Ag2


Creation date 30th September 2022  
Revision date 24th July 2023 Version 6.0

### Additional information

Hazard identification No.  
UN number  
Classification code  
Safety signs

90  
3077

M7  
9+hazardous for the environment



### Road transport - ADR

Special provisions 274, 335, 601  
Limited quantities 5 kg  
Excepted quantities E1

#### Packaging

Packing instructions P002, IBC08, LP02, R001  
Special packing provisions PP12, B3  
Mixed packing provisions MP10

#### Portable tanks and bulk containers

Guidelines T1, BK1, BK2, BK3  
Special provisions TP33

#### ADR tank

Tank code SGAV, LGBV  
Vehicles for tank carriage AT  
Transport category 3  
Tunnel restriction code (-)

#### Special provision for

packages V13  
bulk VV1  
loading, unloading and handling CV13

### Railway transport - RID

Special provisions 274, 335, 601  
Excepted quantities E1

#### Packaging

Packing instructions P002, IBC08, LP02, R001  
Special packing provisions PP12, B3  
Mixed packing provisions MP10

#### Portable tanks and bulk containers

Guidelines T1, BK1, BK2, BK3  
Special provisions TP33

#### RID Tanks

Tank code SGAV, LGBV  
Transport category 0

#### Special provision for

packages W 13  
bulk VW 1  
loading, unloading and handling CW 13

### Air transport - ICAO/IATA

Packaging instructions for limited amount Y956  
Packaging instructions passenger 956  
Cargo packaging instructions 956

### Marine transport - IMDG

EmS (emergency plan) F-A, S-F

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## EASY PRINT Sn62Pb36Ag2

Creation date 30th September 2022  
Revision date 24th July 2023 Version 6.0

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

#### Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

1,2-bis(2-methoxyethoxy) ethane

Restriction	Conditions of restriction
30	<p>Without prejudice to the other parts of this Annex the following shall apply to entries 28 to 30:</p> <ol style="list-style-type: none"><li>Shall not be placed on the market, or used,<ul style="list-style-type: none"><li>as substances,</li><li>as constituents of other substances, or,</li><li>in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:<ul style="list-style-type: none"><li>either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,</li><li>the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008.</li></ul></li></ul></li></ol> <p>Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:</p> <p>"Restricted to professional users".</p> <ol style="list-style-type: none"><li>By way of derogation, paragraph 1 shall not apply to:<ol style="list-style-type: none"><li>medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;</li><li>cosmetic products as defined by Directive 76/768/EEC;</li><li>the following fuels and oil products:<ul style="list-style-type: none"><li>motor fuels which are covered by Directive 98/70/EC,</li><li>mineral oil products intended for use as fuel in mobile or fixed combustion plants,</li><li>fuels sold in closed systems (e.g. liquid gas bottles);</li></ul></li><li>artists' paints covered by Regulation (EC) No 1272/2008;</li><li>the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date.</li><li>devices covered by Regulation (EU) 2017/745.</li></ol></li></ol>

2-(2-butoxyethoxy)ethanol

Restriction	Conditions of restriction
55	<ol style="list-style-type: none"><li>Shall not be placed on the market for the first time after 27 June 2010, for supply to the general public, as a constituent of spray paints or spray cleaners in aerosol dispensers in concentrations equal to or greater than 3 % by weight.</li><li>Spray paints and spray cleaners in aerosol dispensers containing DEGBE and not conforming to paragraph 1 shall not be placed on the market for supply to the general public after 27 December 2010.</li><li>Without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that paints other than spray paints containing DEGBE in concentrations equal to or greater than 3 % by weight of that are placed on the market for supply to the general public are visibly, legibly and indelibly marked by 27 December 2010 as follows:<p>"Do not use in paint spraying equipment".</p></li></ol>

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## EASY PRINT Sn62Pb36Ag2

Creation date 30th September 2022  
Revision date 24th July 2023 Version 6.0

lead

Restriction	Conditions of restriction
63	<p>1. Shall not be placed on the market or used in any individual part of jewellery articles if the concentration of lead (expressed as metal) in such a part is equal to or greater than 0,05 % by weight.</p> <p>2. For the purposes of paragraph 1:</p> <p>(i) "jewellery articles" shall include jewellery and imitation jewellery articles and hair accessories, including:</p> <ul style="list-style-type: none"><li>(a) bracelets, necklaces and rings;</li><li>(b) piercing jewellery;</li><li>(c) wrist watches and wrist-wear;</li><li>(d) brooches and cufflinks;</li></ul> <p>(ii) "any individual part" shall include the materials from which the jewellery is made, as well as the individual components of the jewellery articles.</p> <p>3. Paragraph 1 shall also apply to individual parts when placed on the market or used for jewellery-making.</p> <p>4. By way of derogation, paragraph 1 shall not apply to:</p> <ul style="list-style-type: none"><li>(a) crystal glass as defined in Annex I (categories 1, 2, 3 and 4) to Council Directive 69/493/EEC (*);</li><li>(b) internal components of watch timepieces inaccessible to consumers;</li><li>(c) non-synthetic or reconstructed precious and semiprecious stones (CN code 7103, as established by Regulation (EEC) No 2658/87), unless they have been treated with lead or its compounds or mixtures containing these substances;</li><li>(d) enamels, defined as vitrifiable mixtures resulting from the fusion, vitrification or sintering of minerals melted at a temperature of at least 500 °C.</li></ul> <p>5. By way of derogation, paragraph 1 shall not apply to jewellery articles placed on the market for the first time before 9 October 2013 and jewellery articles produced before 10 December 1961.</p> <p>6. By 9 October 2017, the Commission shall re-evaluate paragraphs 1 to 5 of this entry in the light of new scientific information, including the availability of alternatives and the migration of lead from the articles referred to in paragraph 1 and, if appropriate, modify this entry accordingly.</p> <p>7. Shall not be placed on the market or used in articles supplied to the general public, if the concentration of lead (expressed as metal) in those articles or accessible parts thereof is equal to or greater than 0,05 % by weight, and those articles or accessible parts thereof may, during normal or reasonably foreseeable conditions of use, be placed in the mouth by children.</p> <p>That limit shall not apply where it can be demonstrated that the rate of lead release from such an article or any such accessible part of an article, whether coated or uncoated, does not exceed 0,05 µg/cm<sup>2</sup> per hour (equivalent to 0,05 µg/g/h), and, for coated articles, that the coating is sufficient to ensure that this release rate is not exceeded for a period of at least two years of normal or reasonably foreseeable conditions of use of the article.</p> <p>For the purposes of this paragraph, it is considered that an article or accessible part of an article may be placed in the mouth by children if it is smaller than 5 cm in one dimension or has a detachable or protruding part of that size.</p> <p>8. By way of derogation, paragraph 7 shall not apply to:</p> <ul style="list-style-type: none"><li>(a) jewellery articles covered by paragraph 1;</li><li>(b) crystal glass as defined in Annex I (categories 1, 2, 3 and 4) to Directive 69/493/EEC;</li><li>(c) non-synthetic or reconstructed precious and semi-precious stones (CN code 7103 as established by Regulation (EEC) No 2658/87) unless they have been treated with lead or its compounds or mixtures containing these substances;</li><li>(d) enamels, defined as vitrifiable mixtures resulting from the fusion, vitrification or sintering of mineral melted at a temperature of at least 500 °C;</li><li>(e) keys and locks, including padlocks;</li><li>(f) musical instruments;</li><li>(g) articles and parts of articles comprising brass alloys, if the concentration of lead (expressed as</li></ul>

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## EASY PRINT Sn62Pb36Ag2

Creation date	30th September 2022	Version	6.0
Revision date	24th July 2023		

lead

Restriction	Conditions of restriction
	<p>metal) in the brass alloy does not exceed 0,5 % by weight;</p> <p>(h) the tips of writing instruments;</p> <p>(i) religious articles;</p> <p>(j) portable zinc-carbon batteries and button cell batteries;</p> <p>(k) articles within the scope of:</p> <p>(i) Directive 94/62/EC;</p> <p>(ii) Regulation (EC) No 1935/2004;</p> <p>(iii) Directive 2009/48/EC of the European Parliament and of the Council (*);</p> <p>(iv) Directive 2011/65/EU of the European Parliament and of the Council (**)</p> <p>9. By 1 July 2019, the Commission shall re-evaluate paragraphs 7 and 8(e), (f), (i) and (j) of this entry in the light of new scientific information, including the availability of alternatives and the migration of lead from the articles referred to in paragraph 7, including the requirement on coating integrity, and, if appropriate, modify this entry accordingly.</p> <p>10. By way of derogation paragraph 7 shall not apply to articles placed on the market for the first time before 1 June 2016.</p> <p>11. Doing either of the following acts after 15 February 2023 in or within 100 metres of wetlands is prohibited:</p> <p>(a) discharging gunshot containing a concentration of lead (expressed as metal) equal to or greater than 1 % by weight;</p> <p>(b) carrying any such gunshot where this occurs while out wetland shooting or as part of going wetland shooting.</p> <p>For the purposes of the first subparagraph:</p> <p>(a) "within 100 metres of wetlands" means within 100 metres outward from any outer boundary point of a wetland;</p> <p>(b) "wetland shooting" means shooting in or within 100 metres of wetlands;</p> <p>(c) if a person is found carrying gunshot in or within 100 metres of wetlands while out shooting or as part of going shooting, the shooting concerned shall be presumed to be wetland shooting unless that person can demonstrate that it was some other type of shooting.</p> <p>The restriction laid down in the first subparagraph shall not apply in a Member State if that Member State notifies the Commission in accordance with paragraph 12 that it intends to make use of the option granted by that paragraph.</p> <p>12. If at least 20 % in total of the territory, excluding the territorial waters, of a Member State are wetlands, that Member State may, in place of the restriction laid down in the first subparagraph of paragraph 11, prohibit the following acts throughout the whole of its territory from 15 February 2024:</p> <p>(a) the placing on the market of gunshot containing a concentration of lead (expressed as metal) equal to or greater than 1 % by weight;</p> <p>(b) the discharging of any such gunshot;</p> <p>(c) carrying any such gunshot while out shooting or as part of going shooting.</p> <p>Any Member State intending to make use of the option granted by the first subparagraph shall notify the Commission of this intention by 15 August 2021. The Member State shall communicate the text of the national measures adopted by it to the Commission without delay and in any event by 15 August 2023. The Commission shall make publicly available without delay any such notices of intention and texts of national measures received by it.</p> <p>13. For the purposes of paragraphs 11 and 12:</p> <p>(a) "wetlands" means areas of marsh, fen, peatland or water, whether natural or artificial, permanent or temporary, with water that is static or flowing, fresh, brackish or salt, including areas of marine water the depth of which at low tide does not exceed 6 metres;</p> <p>(b) "gunshot" means pellets used or intended for use in a single charge or cartridge in a shotgun;</p> <p>(c) "shotgun" means a smooth-bore gun, excluding airguns;</p> <p>(d) "shooting" means any shooting with a shotgun;</p> <p>(e) "carrying" means any carrying on the person or carrying or transporting by any other means;</p>

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## EASY PRINT Sn62Pb36Ag2

Creation date	30th September 2022	Version	6.0
Revision date	24th July 2023		

lead

Restriction	Conditions of restriction
	<p>(f) in determining whether a person found with gunshot is carrying gunshot "as part of going shooting":</p> <p>(i) regard shall be had to all the circumstances of the case;</p> <p>(ii) the person found with the gunshot need not necessarily be the same person as the person shooting.</p> <p>14. Member States may maintain national provisions for protection of the environment or human health in force on 15 February 2021 and restricting lead in gunshot more severely than provided for in paragraph 11.</p> <p>The Member State shall communicate the text of those national provisions to the Commission without delay. The Commission shall make publicly available without delay any such texts of national provisions received by it.</p> <p>15. Shall not be placed on the market or used in articles produced from polymers or copolymers of vinyl chloride ('PVC'), if the concentration of lead is equal to or greater than 0,1 % by weight of the PVC material.</p> <p>16. Paragraph 15 shall apply with effect from 29 November 2024.</p> <p>17. By way of derogation, paragraph 15 shall not apply to PVC articles containing recovered flexible PVC until 28 May 2025.</p> <p>18. By way of derogation, paragraph 15 shall not apply to the following PVC articles containing recovered rigid PVC until 28 May 2033, if the concentration of lead is lower than 1,5 % by weight of the recovered rigid PVC:</p> <p>(a) profiles and sheets for exterior applications in buildings and civil engineering works, excluding decks and terraces;</p> <p>(b) profiles and sheets for decks and terraces, provided that the recovered PVC is used in a middle layer and is entirely covered with a layer of PVC or other material for which the concentration of lead is lower than 0,1 % by weight;</p> <p>(c) profiles and sheets for use in concealed spaces or voids in buildings and civil engineering works (where they are inaccessible during normal use, excluding maintenance, for example, cable ducts);</p> <p>(d) profiles and sheets for interior building applications, provided that the entire surface of the profile or sheet facing the occupied areas of a building after installation is produced using PVC or other material for which the concentration of lead is lower than 0,1 % by weight;</p> <p>(e) multi-layer pipes (excluding pipes for drinking water), provided that the recovered PVC is used in a middle layer and is entirely covered with a layer of PVC or other material for which the concentration of lead is lower than 0,1 % by weight;</p> <p>(f) fittings, excluding fittings for pipes for drinking water.</p> <p>From 28 May 2026, rigid PVC recovered from the categories of articles referred to in points (a) to (d) shall only be used for the production of new articles of any of those categories.</p> <p>Suppliers of PVC articles containing recovered rigid PVC with a concentration of lead equal to or greater than 0,1 % by weight of the PVC material shall ensure, before placing those articles on the market, that they are visibly, legibly and indelibly marked with the statement: "Contains ≥ 0,1 % lead". Where the marking cannot be provided on the article due to the nature of the article, it shall be on the packaging of the article.</p> <p>Suppliers of PVC articles containing recovered rigid PVC shall submit to national enforcement authorities upon request documentary evidence to substantiate the claims on the recovered origin of the PVC in those articles. Certificates issued by schemes to provide proof of traceability and recycled content, such as those developed according to EN 15343:2007 or equivalent recognised standards, may be used to substantiate such claims for PVC articles produced in the Union. Claims made on the recovered origin of the PVC in imported articles shall be accompanied by a certificate that provides equivalent proof of traceability and recycled content, issued by an independent third party.</p> <p>By 28 May 2028, the Commission shall review this paragraph in light of new scientific information and, if appropriate, modify it accordingly.</p>

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## EASY PRINT Sn62Pb36Ag2

Creation date 30th September 2022  
Revision date 24th July 2023 Version 6.0

lead

Restriction	Conditions of restriction
	19. By way of derogation, paragraph 15 shall not apply to: (a) PVC-silica separators in lead acid batteries, until 28 May 2033; (b) articles covered by paragraph 1, in accordance with paragraphs 2 to 5, and by paragraph 7 in accordance with paragraphs 8 and 10; (c) articles within the scope of: (i) Regulation (EC) No 1935/2004; (ii) Directive 2011/65/EU; (iii) Directive 94/62/EC; (iv) Directive 2009/48/EC.  20. By way of derogation, paragraph 15 shall not apply to PVC articles placed on the market until 28 November 2024.

### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

## SECTION 16: Other information

### A list of standard risk phrases used in the safety data sheet

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H360FD	May damage fertility. May damage the unborn child.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H362	May cause harm to breast-fed children.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

### Guidelines for safe handling used in the safety data sheet

P201	Obtain special instructions before use.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P263	Avoid contact during pregnancy and while nursing.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P391	Collect spillage.

### A list of additional standard phrases used in the safety data sheet

EUH019	May form explosive peroxides.
--------	-------------------------------

### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

### Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC <sub>50</sub>	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EL <sub>100</sub>	Effective Loading for 100% of the tested organisms
EL <sub>50</sub>	Effective Loading for 50% of the tested organisms
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## EASY PRINT Sn62Pb36Ag2

Creation date	30th September 2022	Version	6.0
Revision date	24th July 2023		

ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC <sub>50</sub>	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD <sub>50</sub>	Lethal dose of a substance in which it can be expected death of 50% of the population
LL <sub>100</sub>	Lethal Loading for 100% of tested organisms
LL <sub>50</sub>	Lethal Loading for 50% of tested organisms
log K <sub>ow</sub>	Octanol-water partition coefficient
NOEC	No observed effect concentration
NOEL	No observed effect level
NOELR	No Observed Effect Loading Rate
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Eye Irrit.	Eye irritation
Lact.	Lactation
Repr.	Reproductive toxicity
Skin Sens.	Skin sensitization

### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

### Recommended restrictions of use

not available

### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

### The changes (which information has been added, deleted or modified)

The version 6.0 replaces the SDS version from 27 February 2023. Changes were made in sections 2, 11, 15 and 16.

### More information

Classification procedure - calculation method.

## Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.